

#17/C

## SEQUENCE LISTING

<110> The Trustees of Columbia University In The City of New York

<120> OLIGONUCLEOTIDE INHIBITORS OF BCL-XL

<130> 0575/55669-A-PCT-US

<140> 09/753,169

<141> 2001-01-02

<150> 09/109,614

<151> 1998-07-02

<150> PCT/US99/15250

<151> 1999-07-02

<160> 38

<170> PatentIn version 3.1

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 1

ctcaaccagt ccattgtcca

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 2

tcccggttgc tctgagacat

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 3

gccacagtca tgcccgtcag

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<400> 4  
ctgcgatccg actcaccaat 20

<210> 5  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 5  
agtcctgttc tcttcac 18

<210> 6  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 6  
ctttactgct gccatggg 18

<210> 7  
<211> 20  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 7  
cgccgttctc ctggatccaa 20

<210> 8  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 8  
ctgactccag ctgtatcc 18

<210> 9  
<211> 18  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 9  
ggtctccatc tccgattc 18

<210> 10  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 10  
cctggggtga tgtggagc 18

<210> 11  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 11  
agttccacaa aagtatcc 18

<210> 12  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 12  
ctttcggctc tcggctgc 18

<210> 13  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<400> 13  
aaccagcgt tgaagcgt 18

<210> 14  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding  
<222> (6)..(7)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (14)..(15)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (17)..(20)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 14  
ctcaaccagt ccattgtcca

20

<210> 15  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (6)..(7)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (14)..(15)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (17)..(20)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (2)..(2)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (3)..(3)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (6)..(6)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (7)..(7)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (10)..(10)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (11)..(12)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (14)..(15)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (17)..(17)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (18)..(19)  
<223> PROPYNYL dC

<400> 15  
ctcaaccagt ccattgtcca

<210> 16  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (7)..(8)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(13)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (17)..(20)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 16  
tcccgggttg tctgagacat

20

<210> 17  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (8)..(9)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (13)..(15)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding  
<222> (17)..(20)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 17  
gccacagtca tgcccgtcag

20

<210> 18  
<211> 20  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (2)..(3)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (5)..(5)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (8)..(8)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (9)..(9)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (11)..(11)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (13)..(15)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (17)..(17)  
<223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (18)..(18)  
 <223> PROPYNYL dC

<220>  
 <221> misc\_binding  
 <222> (8)..(9)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (13)..(15)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (17)..(20)  
 <223> PHOSPHOROTHIOATE LINKAGE

<400> 18  
 gccacagtca tgcccgtcag

20

<210> 19  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (2)..(3)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (7)..(9)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (12)..(14)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (16)..(20)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> modified\_base  
 <222> (1)..(1)



```

<223>  PROPYNYL dC

<220>
<221>  modified_base
<222>  (2)..(2)
<223>  PROPYNYL dT

<220>
<221>  modified_base
<222>  (4)..(4)
<223>  PROPYNYL dC

<220>
<221>  modified_base
<222>  (7)..(7)
<223>  PROPYNYL dT

<220>
<221>  modified_base
<222>  (8)..(9)
<223>  PROPYNYL dC

<220>
<221>  modified_base
<222>  (12)..(12)
<223>  PROPYNYL dC

<220>
<221>  modified_base
<222>  (13)..(13)
<223>  PROPYNYL dT

<220>
<221>  modified_base
<222>  (16)..(17)
<223>  PROPYNYL dC

<400>  19
ctgcgatccg actcaccaat

<210>  20
<211>  18
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  ANTISENSE OLIGONUCLEOTIDE

<220>
<221>  misc_binding
<222>  (1)..(6)
<223>  PHOSPHOROTHIOATE LINKAGE

<220>

```

20

<221> misc\_binding  
<222> (8)..(9)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (13)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 20  
agtcctgttc tcttcac

18

<210> 21  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(9)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (13)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (3)..(3)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (4)..(6)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (8)..(9)  
<223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (10)..(10)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (11)..(11)  
 <223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (12)..(12)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (13)..(14)  
 <223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (15)..(16)  
 <223> PROPYNYL dC

<400> 21  
 agtccccgttc tcttccac

18

<210> 22  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (9)..(10)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (12)..(13)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> modified\_base

<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (2)..(4)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (6)..(6)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (7)..(7)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (9)..(9)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (10)..(10)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (12)..(13)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (15)..(15)

<223> PROPYNYL dT

<400> 22

ctttactgct gccatggg

18

<210> 23

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc\_binding  
<222> (1)..(2)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (3)..(5)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (6)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (17)..(20)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (3)..(4)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (8)..(8)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (10)..(11)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (17)..(18)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (6)..(7)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (12)..(12)  
<223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (16)..(16)  
 <223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (9)..(9)  
 <223> PROPYNYL dT

<400> 23  
 cgccgttctc ctggatccaa

20

<210> 24  
 <211> 19  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(2)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (3)..(5)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (6)..(12)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (17)..(19)  
 <223> PHOSPHOROTHIOATE LINKAGE

<400> 24  
 cgccgttctc ctggatcca

19

<210> 25  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (5)..(8)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (11)..(12)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> modified\_base

<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (2)..(2)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (5)..(5)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (6)..(6)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (7)..(8)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (11)..(11)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (12)..(12)

<223> PROPYNYL dT

<220>

<221> modified\_base  
<222> (14)..(14)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (16)..(16)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (17)..(17)  
<223> PROPYNYL dC

<400> 25  
ctgactccag ctgtatcc

18

<210> 26  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (5)..(8)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (11)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (15)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 26  
ctgactccag ctgtatcc

18

<210> 27  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE



```
<220>
<221> misc_binding
<222> (1)..(4)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (5)..(7)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (9)..(10)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (11)..(12)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> misc_binding
<222> (15)..(18)
<223> PHOSPHOROTHIATE LINKAGE

<220>
<221> modified_base
<222> (3)..(3)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (4)..(4)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (6)..(7)
<223> PROPYNYL dC

<220>
<221> modified_base
<222> (5)..(5)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (9)..(9)
<223> PROPYNYL dT

<220>
<221> modified_base
<222> (10)..(10)
```

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (11)..(11)

<223> PROPYNYL dT

<220>

<221> modified\_base

<222> (12)..(13)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (16)..(17)

<223> PROPYNYL dT

<400> 27

ggtctccatc tccgattc

18

<210> 28

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc\_binding

<222> (1)..(4)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (5)..(7)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (9)..(10)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (11)..(12)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<400> 28

ggtctccatc tccgattc

18

<210> 29  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)  
 <223> PHOSPHOROTHIATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (9)..(10)  
 <223> PHOSPHOROTHIATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (12)..(13)  
 <223> PHOSPHOROTHIATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (15)..(18)  
 <223> PHOSPHOROTHIATE LINKAGE

<400> 29  
 cctgggggtga tgtgggagc

18

<210> 30  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (5)..(6)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (8)..(9)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (14)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (3)..(4)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (5)..(6)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (8)..(8)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (14)..(14)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (16)..(16)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (17)..(17)  
<223> PROPYNYL dC

<400> 30  
agttccacaa aagtatcc

18

<210> 31  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (5)..(6)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (8)..(9)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (14)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<400> 31

agttccacaa aagtatcc

18

<210> 32

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> ANTISENSE OLIGONUCLEOTIDE

<220>

<221> misc\_binding

<222> (1)..(4)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (8)..(9)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (10)..(12)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> misc\_binding

<222> (15)..(18)

<223> PHOSPHOROTHIOATE LINKAGE

<220>

<221> modified\_base

<222> (1)..(1)

<223> PROPYNYL dC

<220>

<221> modified\_base

<222> (2)..(4)

<223> PROPYNYL dT

<220>

<221> modified\_base  
 <222> (8)..(8)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (9)..(9)  
 <223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (10)..(10)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (11)..(11)  
 <223> PROPYNYL dT

<220>  
 <221> modified\_base  
 <222> (12)..(12)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (15)..(15)  
 <223> PROPYNYL dC

<220>  
 <221> modified\_base  
 <222> (16)..(16)  
 <223> PROPYNYL dT

<400> 32  
 ctttcggctc tcggctgc

18

<210> 33  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (8)..(9)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(12)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (15)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<400> 33  
ctttcggctc tcggtgc

18

<210> 34  
<211> 18  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> ANTISENSE OLIGONUCLEOTIDE

<220>  
<221> misc\_binding  
<222> (1)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (10)..(11)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (15)..(18)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (3)..(4)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (7)..(7)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (16)..(16)  
<223> PROPYNYL dC

<400> 34  
aaccagcggc tgaagcgt

18

<210> 35  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>  
 <221> misc\_binding  
 <222> (1)..(4)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (10)..(12)  
 <223> PHOSPHOROTHIOATE LINKAGE

<220>  
 <221> misc\_binding  
 <222> (15)..(18)  
 <223> PHOSPHOROTHIOATE LINKAGE

<400> 35  
 aaccagcgg tgaagcgt

18

<210> 36  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PRIMER

<400> 36  
 atgtctcaga gcaaccggga

20

<210> 37  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> PRIMER

<400> 37  
 tcatttccga ctgaagagtg

20

<210> 38  
 <211> 18  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> ANTISENSE OLIGONUCLEOTIDE

<220>



<221> misc\_binding  
<222> (1)..(2)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (2)..(3)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (3)..(4)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (9)..(10)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (12)..(13)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (15)..(16)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> misc\_binding  
<222> (16)..(17)  
<223> PHOSPHOROTHIOATE LINKAGE

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (2)..(2)  
<223> PROPYNYL dC

<220>  
<221> modified\_base  
<222> (3)..(3)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (8)..(8)  
<223> PROPYNYL dT

<220>  
<221> modified\_base  
<222> (11)..(11)  
<223> PROPYNYL dT

<400> 38  
cctgggggtga tgtggagc

18



Dkt. 0575/55669-A-PCT-US/JPW/PJP/BJA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Cy A. Stein et al.  
Serial No.: 09/753,169 Examiner: J.L Epps  
Filed : January 2, 2001 Group Art Unit: 1635  
For : OLIGONUCLEOTIDE INHIBITORS OF bcl-xL

1185 Avenue of the Americas  
New York, New York 10036  
January 13, 2003

Assistant Commissioner for Patents  
BOX Sequence, P.O. 2327  
Arlington, VA 22202


SIR:

STATEMENT IN ACCORDANCE WITH 37 C.F.R. §1.821(f)

In accordance with 37 C.F.R. §1.821(f), I hereby certify that the computer readable form containing the nucleic acid and/or amino acid sequences required by 37 C.F.R. §1.821(e) and submitted herewith contains the same information as the written "Sequence Listing" (26 pages) (Exhibit B) that is submitted herewith.


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such wilful false statements may jeopardize the validity of the application or any patent issued thereon.

Respectfully submitted,

  
\_\_\_\_\_  
Brian J. Amos  
Cooper & Dunham LLP  
1185 Avenue of the Americas  
New York, New York 10036  
(212) 278-0400

1635

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



**RAW SEQUENCE LISTING  
ERROR REPORT**

#15/R.T.  
11/13  
Raw  
Seq.  
Error

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/753,169  
Source: 1600  
Date Processed by STIC: 11/4/2002

RECEIVED

NOV 12 2002

TECH CENTER 1600/2900

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)

RECEIVED

JAN 22 2003

TECH CENTER 1600/2900

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebs/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:  
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7<sup>th</sup> Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202  
Or  
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002



1600

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

3 <110> APPLICANT: The Trustees of Columbia University In The City of New York  
 5 <120> TITLE OF INVENTION: OLIGONUCLEOTIDE INHIBITORS OF BCL-XL  
 7 <130> FILE REFERENCE: 0575/55669-A-PCT-US  
 9 <140> CURRENT APPLICATION NUMBER: 09/753,169  
 10 <141> CURRENT FILING DATE: 2001-01-02  
 12 <150> PRIOR APPLICATION NUMBER: 09/109,614  
 13 <151> PRIOR FILING DATE: 1998-07-02  
 15 <150> PRIOR APPLICATION NUMBER: PCT/US99/15250  
 16 <151> PRIOR FILING DATE: 1999-07-02  
 18 <160> NUMBER OF SEQ ID NOS: 38  
 20 <170> SOFTWARE: PatentIn version 3.1  
 22 <210> SEQ ID NO: 1  
 23 <211> LENGTH: 20  
 24 <212> TYPE: DNA  
 25 <213> ORGANISM: Artificial Sequence  
 27 <220> FEATURE:  
 28 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
 30 <400> SEQUENCE: 1  
 31 ctcaaccagt ccattgtcca  
 34 <210> SEQ ID NO: 2  
 35 <211> LENGTH: 20  
 36 <212> TYPE: DNA  
 37 <213> ORGANISM: Artificial Sequence  
 39 <220> FEATURE:  
 40 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
 42 <400> SEQUENCE: 2  
 43 tcccgggtgc tctgagacat  
 46 <210> SEQ ID NO: 3  
 47 <211> LENGTH: 20  
 48 <212> TYPE: DNA  
 49 <213> ORGANISM: Artificial Sequence  
 51 <220> FEATURE:  
 52 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
 54 <400> SEQUENCE: 3  
 55 gccacagtca tgcccgtcag  
 58 <210> SEQ ID NO: 4  
 59 <211> LENGTH: 20  
 60 <212> TYPE: DNA  
 61 <213> ORGANISM: Artificial Sequence  
 63 <220> FEATURE:  
 64 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
 66 <400> SEQUENCE: 4  
 67 ctgcgatccg actcaccaat

RECEIVED

JAN 22 2003

TECH CENTER 1600/2900

 Does Not Comply  
 Corrected Diskette Needed

20

20

20

20

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

```

70 <210> SEQ ID NO: 5
71 <211> LENGTH: 18
72 <212> TYPE: DNA
73 <213> ORGANISM: Artificial Sequence
75 <220> FEATURE:
76 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
78 <400> SEQUENCE: 5
79 agtcctgttc tcttccac                                     18
82 <210> SEQ ID NO: 6
83 <211> LENGTH: 18
84 <212> TYPE: DNA
85 <213> ORGANISM: Artificial Sequence
87 <220> FEATURE:
88 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
90 <400> SEQUENCE: 6
91 ctttactgct gccatggg                                     18
94 <210> SEQ ID NO: 7
95 <211> LENGTH: 20
96 <212> TYPE: DNA
97 <213> ORGANISM: Artificial Sequence
99 <220> FEATURE:
100 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
102 <400> SEQUENCE: 7
103 cgccgttctc ctggatccaa                                20
106 <210> SEQ ID NO: 8
107 <211> LENGTH: 18
108 <212> TYPE: DNA
109 <213> ORGANISM: Artificial Sequence
111 <220> FEATURE:
112 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
114 <400> SEQUENCE: 8
115 ctgactccag ctgtatcc                                  18
118 <210> SEQ ID NO: 9
119 <211> LENGTH: 18
120 <212> TYPE: DNA
121 <213> ORGANISM: Artificial Sequence
123 <220> FEATURE:
124 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
126 <400> SEQUENCE: 9
127 ggtctccatc tccgattc                                  18
130 <210> SEQ ID NO: 10
131 <211> LENGTH: 18
132 <212> TYPE: DNA
133 <213> ORGANISM: Artificial Sequence
135 <220> FEATURE:
136 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
138 <400> SEQUENCE: 10
139 cctggggtga tgtggagc                                  18
142 <210> SEQ ID NO: 11

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

```

143 <211> LENGTH: 18
144 <212> TYPE: DNA
145 <213> ORGANISM: Artificial Sequence
147 <220> FEATURE:
148 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
150 <400> SEQUENCE: 11
151 agttccacaa aagtatcc
154 <210> SEQ ID NO: 12
155 <211> LENGTH: 18
156 <212> TYPE: DNA
157 <213> ORGANISM: Artificial Sequence
159 <220> FEATURE:
160 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
162 <400> SEQUENCE: 12
163 ctttcggctc tcggctgc
166 <210> SEQ ID NO: 13
167 <211> LENGTH: 18
168 <212> TYPE: DNA
169 <213> ORGANISM: Artificial Sequence
171 <220> FEATURE:
172 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
174 <400> SEQUENCE: 13
175 aaccagcggg tgaagcgt
178 <210> SEQ ID NO: 14
179 <211> LENGTH: 20
180 <212> TYPE: DNA
181 <213> ORGANISM: Artificial Sequence
183 <220> FEATURE:
184 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE
186 <220> FEATURE:
187 <221> NAME/KEY: misc_binding
188 <222> LOCATION: (1)..(4)
189 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
192 <220> FEATURE:
193 <221> NAME/KEY: misc_binding
194 <222> LOCATION: (6)..(7)
195 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
198 <220> FEATURE:
199 <221> NAME/KEY: misc_binding
200 <222> LOCATION: (10)..(12)
201 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
204 <220> FEATURE:
205 <221> NAME/KEY: misc_binding
206 <222> LOCATION: (14)..(15)
207 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE
210 <220> FEATURE:
211 <221> NAME/KEY: misc_binding
212 <222> LOCATION: (17)..(20)
213 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE

```

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

216 <400> SEQUENCE: 14  
217 ctcaaccagt ccattgtcca  
220 <210> SEQ ID NO: 15  
221 <211> LENGTH: 20  
222 <212> TYPE: DNA  
223 <213> ORGANISM: Artificial Sequence  
225 <220> FEATURE:  
226 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
228 <220> FEATURE:  
229 <221> NAME/KEY: misc\_binding  
230 <222> LOCATION: (1)..(4)  
231 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
234 <220> FEATURE:  
235 <221> NAME/KEY: misc\_binding  
236 <222> LOCATION: (6)..(7)  
237 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
240 <220> FEATURE:  
241 <221> NAME/KEY: misc\_binding  
242 <222> LOCATION: (10)..(12)  
243 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
246 <220> FEATURE:  
247 <221> NAME/KEY: misc\_binding  
248 <222> LOCATION: (14)..(15)  
249 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
252 <220> FEATURE:  
253 <221> NAME/KEY: misc\_binding  
254 <222> LOCATION: (17)..(20)  
255 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
258 <220> FEATURE:  
259 <221> NAME/KEY: modified\_base  
260 <222> LOCATION: (1)..(1)  
261 <223> OTHER INFORMATION: PROPYNYL dC  
264 <220> FEATURE:  
265 <221> NAME/KEY: modified\_base  
266 <222> LOCATION: (2)..(2)  
267 <223> OTHER INFORMATION: PROPYNYL dT  
270 <220> FEATURE:  
271 <221> NAME/KEY: modified\_base  
272 <222> LOCATION: (3)..(3)  
273 <223> OTHER INFORMATION: PROPYNYL dC  
276 <220> FEATURE:  
277 <221> NAME/KEY: modified\_base  
278 <222> LOCATION: (6)..(6)  
279 <223> OTHER INFORMATION: PROPYNYL dC  
282 <220> FEATURE:  
283 <221> NAME/KEY: modified\_base  
284 <222> LOCATION: (7)..(7)  
285 <223> OTHER INFORMATION: PROPYNYL dC  
288 <220> FEATURE:

20



## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:42

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw

289 <221> NAME/KEY: modified\_base  
 290 <222> LOCATION: (10)..(10)  
 291 <223> OTHER INFORMATION: PROPYNYL dT  
 294 <220> FEATURE:  
 295 <221> NAME/KEY: modified\_base  
 296 <222> LOCATION: (11)..(12)  
 297 <223> OTHER INFORMATION: PROPYNYL dC  
 300 <220> FEATURE:  
 301 <221> NAME/KEY: modified\_base  
 302 <222> LOCATION: (14)..(15)  
 303 <223> OTHER INFORMATION: PROPYNYL dT  
 306 <220> FEATURE:  
 307 <221> NAME/KEY: modified\_base  
 308 <222> LOCATION: (17)..(17)  
 309 <223> OTHER INFORMATION: PROPYNYL dT  
 312 <220> FEATURE:  
 313 <221> NAME/KEY: modified\_base  
 314 <222> LOCATION: (18)..(19) ✓  
 315 <223> OTHER INFORMATION: PROPYNYL dT "c is at locations 18 and 19"  
 318 <400> SEQUENCE: 15  
 319 dtcaaccagtcattgtcca  
 322 <210> SEQ ID NO: 16  
 323 <211> LENGTH: 20  
 324 <212> TYPE: DNA  
 325 <213> ORGANISM: Artificial Sequence  
 327 <220> FEATURE:  
 328 <223> OTHER INFORMATION: ANTISENSE OLIGONUCLEOTIDE  
 330 <220> FEATURE:  
 331 <221> NAME/KEY: misc\_binding  
 332 <222> LOCATION: (1)..(4)  
 333 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
 336 <220> FEATURE:  
 337 <221> NAME/KEY: misc\_binding  
 338 <222> LOCATION: (7)..(8)  
 339 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
 342 <220> FEATURE:  
 343 <221> NAME/KEY: misc\_binding  
 344 <222> LOCATION: (10)..(13)  
 345 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
 348 <220> FEATURE:  
 349 <221> NAME/KEY: misc\_binding  
 350 <222> LOCATION: (17)..(20)  
 351 <223> OTHER INFORMATION: PHOSPHOROTHIOATE LINKAGE  
 354 <400> SEQUENCE: 16  
 355 tccccggttgc tctgagacat  
 358 <210> SEQ ID NO: 17  
 359 <211> LENGTH: 20  
 360 <212> TYPE: DNA  
 361 <213> ORGANISM: Artificial Sequence

20

20

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/753,169

DATE: 11/04/2002

TIME: 14:02:43

Input Set : A:\55669apctus.txt

Output Set: N:\CRF4\11042002\I753169.raw